

Author Index

- Aasted B., *see* Viuff B.
 Alaux M.T., *see* Méténier L.
 Andersson L., *see* Bernoco D.
 see also Lúnden A.
 see also Mariani P.
 see also Sigurdardóttir S.
 Antczak D.F., *see* Davies C.J.
 Armitage S.M., *see* Barendse W.
 Arnheim N., Li H. & Cui X.: Genetic mapping by single sperm typing, 105
 Arriens M.A., Hesford F., Ruff G. & Lazary S.: Production of alloantibodies against bovine B-lymphocyte antigens, 399
 see also Bernoco D.

 Bailey E., Lear T.L. & Cothran E.G.: Association of *MspI* restriction fragment length polymorphisms with transferrin in horses, 436
 see Lear T.L.
 Ballingall K., *see* Deverson E.V.
 Barendse W. & Hetzel D.J.S.: *BamHI* reveals a polymorphism in cattle when probing with human protein kinase C alpha (PRKCA), 441
 Barendse W., Armitage S.M. & Hetzel D.J.S.: *RsaI* reveals a polymorphism at the bovine thyrotropin beta (*TSHB*) locus, 442
 Barendse W., Armitage S.M. & Hetzel D.J.S.: *TaqI* reveals a polymorphism in cattle when probing with the rat fatty acid binding protein (I-FABP), 443
 Barendse W., Armitage S.M. & Hetzel D.J.S.: Human apolipoprotein B (APOB) detects a polymorphism with *RsaI* in cattle, 444
 Barendse W., Armitage S.M. & Hetzel D.J.S.: *TaqI* reveals a polymorphism in cattle when probed with the murine homeobox 2 gene (*HOX2*), 445
 Bell K., *see* Symons M.
 Bergersen O. & Braend M.: Restriction fragment length polymorphism of the caprine β -globin gene cluster associated with the HB β -globin variants in Norwegian dairy goats, 53
 Bergersen O., Fosse V.M. & Nesse L.L.: Differential expression of γ - and α -globin genes in Norwegian dairy goats, 77
 Bernoco D., Lewin H.A., Andersson L., Arriens M.A., Byrns G., Cwik S., Davies C.J., Hines H.C., Leibold W., Lie Ø., Meggiolaro D., Oliver R.A., Østergård H., Spooner R.L., Stewart-Haynes J.A., Teale A.J., Templeton J.W., Zanotti M.: Joint Report of the Fourth International Bovine Lymphocyte Antigen (BoLA) Workshop, East Lansing, Michigan, USA, 25 August 1990, 477
 Bertaud M., *see* Levéziel H.

 Bever J.E., *see* Yun-Chao Shia
 Bitgood J.J., Kendall R.L., Briles R.W. & Briles W.E.: Erythrocyte alloantigen loci *Ea-D* and *Ea-I* map to chromosome 1 in the chicken, 449
 Bobák P., *see* Stratil A.
 Böck G., *see* Hála K.
 Borsch C., *see* Sigurdardóttir S.
 Bowling A.T. & Williams M.J.: Expansion of the D system of horse red cell alloantigens, 361
 Braend M., *see* Bergersen O.
 Bräuner Nielsen P.: Mm, a new factor in the porcine M blood group system, 183
 Brchaňová I., *see* Čepica S.
 Briles R.W., *see* Bitgood J.J.
 Briles W.E., *see* Bitgood J.J.
 Buchanan F.C., Swarbrick P.A. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF4 locus, 373
 see also Crawford A.M.
 see also Swarbrick P.A.
 Bunch T.D., *see* Wang S.
 Burke M.G., Stone R.T. & Mugli-Cockett N.E.: Nucleotide sequence and Northern analysis of a bovine major histocompatibility class II DR β -like cDNA, 343
 Byrns G., *see* Bernoco D.

 Cahaner A., *see* Haberfeld A.
 Čepica S., Brchaňová I., Hradecký J. & Hojný J.: Two new common alleles of erythrocyte adenosine deaminase (ADA) in pigs, 173
 Chardon P., *see* Geffrotin C.
 Chen P.M., *see* Gatei M.H.
 Čížová D., *see* Stratil A.
 Clarke T.J., *see* Xu A.
 Cocco E., *see* Naitana S.
 Cothran E.G., Henney P.J. & King J.A.: Inheritance of the equine Tf F3 allele, 187
 see also Bailey E.
 Crawford A.M., Buchanan F.C., Fraser K.M., Robinson A.J. & Hill D.F.: Repeat sequences from complex ds DNA viruses can be used as minisatellite probes for DNA fingerprinting, 177
 Crawford A.M., Buchanan F.C. & Swarbrick P.A.: Ovine dinucleotide repeat polymorphism at the MAF92 locus, 371
 Crawford A.M., Swarbrick P.A. & Buchanan F.C.: Ovine dinucleotide repeat polymorphism at the MAF48 locus, 379
 see also Swarbrick P.A.
 Cui X., *see* Arnheim N.
 Cullen P., *see* Levéziel H.
 Cwik S., *see* Bernoco D.
 see also Hojný J.

- Daniel R.C.W., *see* Gatei M.H.
 Davies C.J. & Antczak D.F.: Mixed lymphocyte culture studies reveal complexity in the bovine MHC not detected by class I serology, 31
 Davies C.J. & Antczak D.F.: Production and characterization of alloantisera specific for bovine class II major histocompatibility complex antigens, 417
 see also Bernoco D.
 Deverson E.V., Wright H., Watson S., Ballingall K., Huskisson N., Diamond A.G. & Howard J.C.: Class II major histocompatibility complex genes of the sheep, 211
 Di Gregorio P., Randon A., Pieragostini E. & Masina P.: DNA polymorphism at the casein loci in sheep, 21
 Diamond A.G., *see* Deverson E.V.
 Ellegren H., *see* Mariani P.
 Epplen J.T., *see* Buitkamp J.
 Erhardt G., *see* Schlieben S.
 Foote W.C., *see* Wang S.
 Fosse V.M., *see* Bergersen O.
 Fraser K.M., *see* Crawford A.M.
 Gábrišová E., *see* Stratil A.
 Gatei M.H., Chen P.M., Daniel R.W.C. & Lavin M.F.: DNA fingerprints of sheep using an M13 probe, 285
 Geffrotin C., Renard C., Chardon P. & Vaiman M.: Marked genetic polymorphism of the swine steroid 21-hydroxylase gene, and its location between the SLA class I and class II regions, 311
 Geldermann H., *see* Buitkamp J.
 Glass E.J., *see* Williams J.L.
 Groenen M.A.M., *see* Sigurdardóttir S.
 Grosfeld-Stulemeyer M.C., *see* Hepkema B.G.
 Guérin G., *see* Imam Ghali M.
 see also Levéziel H.
 Gustafsson K., *see* Sigurdardóttir S.
 Haberfeld A., Cahaner A., Yoffe O., Plotsky Y. & Hillel J.: DNA fingerprints of farm animals generated by microsatellite and minisatellite DNA probes, 299
 Hála K., Vaino O., Plachý J. & Böck G.: Chicken major histocompatibility complex congenic lines differ in the percentage of lymphocytes bearing CD4 and CD8 antigens, 279
 Haley C.S.: Use of DNA fingerprints for the detection of major genes for quantitative traits in domestic species, 259
 Hediger R., Johnson S.E. & Hetzel D.J.S.: Localization of the β -subunit of follicle stimulating hormone in cattle and sheep by *in situ* hybridization, 237
 Henney P.J., *see* Cothran E.G.
 Hensen E.J., *see* Hepkema B.G.
 see also Joosten I.
 Hepkema B.G., van der Poel A., Grosfeld-Stulemeyer M.C. & Hensen E.J.: Biochemical identification of B-F and B-G allelic variants of the chicken major histocompatibility complex, 323
 Hesford F., *see* Arriens M.A.
 Hetzel D.J.S., *see* Barendse W.
 see also Hediger R.
 Hill D.F., *see* Crawford A.M.
 see also Penty J.M.
 Hillel J., *see* Haberfeld A.
 Hines H.C., *see* Bernoco D.
 Hojný J., Hradecký J., Cwik S. & Schmid D.O.: New blood group factors Es, Et and a new allele *E^{bdjlm}* (*E¹⁶*) in the pig blood group system, 251
 see also Čepica S.
 Howard J.C., *see* Deverson E.V.
 Hradecký J., *see* Čepica S.
 see also Hojný J.
 Huff B.M., *see* Kirkpatrick B.W.
 Huskisson N., *see* Deverson E.V.
 Imam Ghali M., Saidi-Mehtar N. & Guérin G.: Sheep gene mapping: additional DNA markers included (CASB, CASK, LALBA, IGF-1 and AMH), 165
 Jacobson C., *see* Rothschild M.F.
 Jamieson A. & Teixeira A.S.: Eye lens proteins as genetic markers in anguillids, 45
 Janik A., *see* Kuryl J.
 Johansson M., *see* Mariani P.
 Johnson S.E., *see* Hediger R.
 Joosten I., Sanders M.F. & Hensen E.J.: Involvement of major histocompatibility complex class I compatibility between dam and calf in the aetiology of bovine retained placenta, 455
 Kemp S.J. & Teale A.J.: Dinucleotide repeat polymorphism at the bovine locus FSHB, 435
 Kendall R.L., *see* Bitgood J.J.
 King J.A., *see* Cothran E.G.
 Kirkpatrick B.W. & Huff B.M.: Detection of insertion polymorphisms in 5' flank and second intron of the porcine growth hormone gene, 192
 Kristensen B., *see* Viuff B.
 Kurosawa Y. & Tanaka K.: PgD variants in several wild pig populations of East Asia, 357
 Kuryl J., Janik A., Nogaj A. & Wróblewski T.: Cosegregation of two allotypes G9 and G16 with the α -protease inhibitor variants in pigs, 295
 Larsen B., *see* Simonsen V.
 Larsen N.J., *see* Nielsen V.H.
 Larsen R.G., *see* Rothschild M.F.
 Lavin M.F., *see* Gatei M.H.
 Lazary S., *see* Arriens M.A.
 Lear T.L. & Bailey E.: Southern blot analyses of the MET locus in horses and cattle, 307

- see also Bailey E.
 Ledda S., see Naitana S.
 Leibold W., see Bernoco D.
 Levéziel H., Méténier L., Guérin G., Cullen P., Provot C., Bertaud M. & Mercier J.C.: Restriction fragment length polymorphism of ovine casein genes: close linkage between the α_{S1}^+ , α_{S2}^+ , β - and κ -casein loci, 1
 Lewin H.A., see Bernoco D.
 see also Yun-Chao Shia
 see also Xu A.
 Li H., see Arnheim N.
 Lie Ø., see Bernoco D.
 Lohi O., see Simonsen V.
 Lundén A., Sigurdardóttir S. & Andersson L.: Restriction fragment polymorphism of a bovine T-cell β gene, 497
 Manca L., see Naitana S.
 Mariani P., Johansson M., Ellegren H. & Andersson L.: A *TaqI* restriction fragment length polymorphism at the porcine platelet-derived growth factor β -receptor locus (PDGFRB), 46
 Mariani P., Johansson M., Ellegren H. & Andersson L.: *TaqI* and *PvuII* restriction fragment length polymorphisms at the porcine plasminogen activator, urokinase, locus (PLAU), 447
 see also Sigurdardóttir S.
 Masal B., see Naitana S.
 Masina P., see Di Gregorio P.
 Matoušek J. & Riha J.: Anti-leucocyte antibodies and embryonic mortality in embryo transferred cows, 245
 Meggiolaro D., see Bernoco D.
 Mercier J.C., see Levéziel H.
 Méténier L., Nocart M. & Alaux M.T.: Mouse monoclonal antibodies to bovine blood group antigens: additional results, 155
 see also Levéziel H.
 Montgomery G.W., see Penty J.M.
 see also Sise J.A.
 Morgan A.L.G., see Williams J.L.
 Muggli-Cockett N.E. & Stone R.T.: Restriction length polymorphisms in bovine major histocompatibility complex class II β -chain genes using bovine exon-containing hybridization probes, 123
 see also Burke M.G.
 Naitana S., Ledda S., Cocco E., Manca L. & Masala B.: Haemoglobin phenotypes of the wild European mouflon sheep living on the island of Sardinia, 67
 Nesse L.L., see Bergersen O.
 Nielsen V.H. & Larsen N.J.: Restriction fragment length polymorphisms at the growth hormone gene in pigs, 291
 Nocart M., see Méténier L.
 Nogaj A., see Kuryl J.
 Oliver R.A., see Bernoco D.
 see also Williams J.L.
 Østergård H., see Bernoco D.
 see also Viuff B.
 Pearson P., see Rothschild M.F.
 Penty J.M. & Hill D.F.: A *RsaI* restriction fragment length polymorphism at the ovine locus for gamma-interferon, 439
 Penty J.M. & Montgomery G.W.: A *MspI* restriction fragment length polymorphism at the ovine locus for glucagon, 440
 Penty J.M., Sise J.A. & Montgomery G.W.: Restriction fragment length polymorphism at the ovine locus for the α -subunit of pituitary glycoprotein hormones, 198
 Penty J.M., Tou H.M. & Hill D.F.: A *MspI* restriction fragment length polymorphism at the ovine locus for 2',3'-cyclic-nucleotide 3'-phosphohydrolase, 196
 Penty J.M., Tou H.M. & Hill D.F.: A *MspI* restriction fragment length polymorphism at the ovine locus for neurotensin, 197
 Perry B.N., see Pinder S.J.
 Pieragostini E., see Di Gregorio P.
 Pinder S.J., Perry B.N., Skidmore C.J. & Savva D.: Analysis of polymorphism in the bovine casein genes by use of the polymerase chain reaction, 11
 Plachý J., see Hála K.
 Plotsky Y., see Haberland A.
 Provot C., see Levéziel H.
 Rando A., see Di Gregorio P.
 Renard C., see Geffroin C.
 Riha J., see Matoušek J.
 Robinson A.J., see Crawford A.M.
 Rothschild M.F., Larson R.G., Jacobson C. & Pearson P.: *PvuII* polymorphism at the porcine oestrogen receptor locus (ESR), 448
 Ruff G., see Arriens M.A.
 Saidi-Mehtar N., see Imam Ghali M.
 Sanders M.F., see Joosten I.
 Savva D., see Pinder S.J.
 Schlieben S., Erhardt G. & Senft B.: Genotyping of bovine κ -casein (κ -CN^A, κ -CN^B, κ -CN^C, κ -CN^E) following DNA sequence amplification and direct sequencing of κ -CN^E PCR product, 333
 Schmid D.O., see Hojny J.
 Schook L.B., see Yun-Chao Shia
 see also Xu A.
 Senft B., see Schlieben S.
 Shia Yun-Chao, Beaver J.E., Lewin H.A. & Schook L.B.: Restriction fragment length polymorphisms at the porcine t complex polypeptide 1 (TCP1) locus, 194
 Sigurdardóttir S., Borsch C., Gustafsson K. & Andersson L.: Cloning and sequence analysis of 14 DRB alleles of the bovine major histocompatibility

- complex by using the polymerase chain reaction, 199
- Sigurdardóttir S., Mariani P., Groenen M.A.M., van der Poel J. & Andersson L.: Organization and polymorphism of bovine major histocompatibility complex class II genes as revealed by genomic hybridization with bovine probes, 465
see also Lundén A.
- Simonsen V., Larsen B. & Lohi O.: Genetic polymorphism of adenosine deaminase and mannose phosphate isomerase in blood of arctic foxes, *Alopex lagopus*, 87
- Sise J.A., Tou H.M. & Montgomery G.W.: A *TaqI* polymorphism at the ovine α -Inhibin locus, 195
see also Penty J.M.
- Skidmore C.J., *see* Pinder S.J.
- Spooner R.L., *see* Bernoco D.
see also Williams J.L.
- Stewart-Haynes, *see* Bernoco D.
- Stone R.T., *see* Burke M.G.
see also Mugli-Cockett N.E.
- Stratil A., Gábrišová E., Čížová D. & Bobák P.: Absence of genetic linkage between A1BG, PGD and HPX loci in rabbits, 353
- Swarbrick P.A., Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF35 locus, 369
- Swarbrick P.A., Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF64 locus, 375
- Swarbrick P.A., Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF36 locus, 377
see Buchanan F.C.
see also Crawford A.M.
- Symons M. & Bell K.: Expansion of the canine A blood group system, 227
- Tanaka K., *see* Kurosawa Y.
- Teale A.J., *see* Bernoco D.
see also Kemp S.J.
- Teixeira A.S., *see* Jamieson A.
- Templeton J.W., *see* Bernoco D.
- Teutsch M.R., *see* Xu A.
- Threadgill D.W. & Womack J.E.: Synteny mapping of human chromosome 8 loci in cattle, 117
- Tidsdall D.J. & Penty J.M.: A *PstI* restriction fragment polymorphism at the ovine locus for follistatin, 437
- Tou H.M., *see* Sise J.A.
see also Penty J.M.
- Vaiman M., *see* Geffrotin C.
- Vainio O., *see* Hála K.
- Van der Poel A., *see* Hepkema B.G.
see also Sigurdardóttir S.
- Viuff B., Østergård H., Aasted B. & Kristensen B.: One-dimensional isoelectric focusing and immunoblotting of bovine major histocompatibility complex (BoLA) class I molecules and correlation with class I serology, 147
- Wang S., Foote W.C. & Bunch T.D.: Transferrin and haemoglobin polymorphism in domesticated goats in the USA, 91
- Watson S., *see* Deverson E.V.
- Williams M.J., *see* Bowling A.T.
- Williams J.L., Oliver R.A., Morgan A.L.G., Glass E.J. & Spooner R.L.: Production of alloantisera against class II bovine lymphocyte antigens (BoLA) by cross-immunization between class I matched cattle, 407
- Womack J.E., *see* Threadgill D.W.
- Wright H., *see* Deverson E.V.
- Wróblewski T., *see* Kurył J.
- Xu A., Clark T.J., Teutsch M.R., Schook L.B. & Lewin H.A.: Sequencing and genetic analysis of a bovine DQB cDNA clone, 381
- Yoffe O., *see* Haberfeld A.
- Zanotti M., *see* Bernoco D.
- Zischler H., *see* Buitkamp J.

Subject Index

- Adenosine, deaminase, polymorphism, 87, 173
- Alleles:
- ADA, new, pig, 173
 - B complex, chicken, 323
 - DRB, cattle, 199
- Alloantibodies, cattle, 399
- Alloantigens:
- chicken, 449
 - horse, 361
- Alloantisera, bovine lymphocyte antigens, 407, 417
- Antibodies:
- anti-leucocyte, 245
 - monoclonal, mouse, 155
- Antigens:
- B complex, chicken, 323
 - blood group, cattle, 155
 - cattle, lymphocyte, 381, 399, 407
 - chicken, lymphocyte, 279
 - dog, blood group, 227
 - serum protein, pig, 295
- Apolipoprotein, human, polymorphism, cattle, 444
- Blood group:
- cattle, antigens, 155, 477
 - dog, A system, 227
 - horse, D system, 361
 - pig, new Mn factor, 183
- BoLA, 31, 147, 339, 407, 417, 465, 477
- Casein:
- bovine, polymorphism, 11, 333
 - ovine, polymorphism, 1, 21
- Cattle:
- APOB probe, human, 444
 - blood group antigens, 155, 381, 399
 - BoLA, 147, 399, 407, 417, 465, 477
 - casein polymorphism, 11, 333
 - DNA fingerprinting, 137
 - DRB alleles, 199
 - embryo mortality, 245
 - FABP probe, rat, 443
 - follicle stimulating hormone, 237
 - homeobox 2 gene, probe, mouse, 445
 - lymphocyte antigens, 381, 407
 - MET locus, 307
 - MHC, 31, 123, 343, 381, 465, 477
 - protein kinase, polymorphism, 441
 - synteny mapping, 117
 - T-cell receptor gene, 497
 - thyrotropin, polymorphism, 442
- Chicken:
- alloantigens, erythrocyte, 449
 - genetic marker, 299
 - inbred lines, 279
 - MHC, 323
- Crystallins, eel, genetic markers, 45
- Dinucleotide, repeat polymorphism, 191, 369, 435
- DNA:
- cattle, 137, 259, 333, 343
 - cyclic, sequence, 381
 - sheep, 1, 285
 - viruses, 177
- Dog, A blood group system, 227
- Eel, lens protein, genetic markers, 45
- Electrophoresis:
- agarose gel, 173
 - polyacrylamide gel, 187
 - starch gel, 357
- Embryo, mortality, 245
- Enzyme, polymorphism, fox blood, 87
- Erythrocyte:
- adenosine deaminase, 173
 - chicken, alloantigens, 449
 - horse, alloantigens, 361
- Fatty acid binding protein, probe, 443
- Fingerprinting, DNA:
- cattle, 137, 259, 299
 - chicken, 299
 - sheep, 177, 285, 299
- Follicle stimulating hormone, ungulates, 237, 435
- Follistatin, RFLP, 437
- Fox, arctic, blood enzyme polymorphism, 87
- Gamma-interferon, RFLP, sheep, 439
- Gene:
- frequency, 67, 357
 - mapping, 105, 165, 237
 - T-cell receptor, 497
- Genotyping, bovine, casein, 333
- Globin:
- β , genes, goat, 53
 - mouflon, 67
- Glucagon, RFLP, sheep, 440
- Glycoprotein, rabbit, 353
- Goat:
- α -globin genes, 77
 - β -globin genes, 53
 - haemoglobin polymorphism, 91
- Growth, hormone, pig, 291

- Haemoglobin:
 goat, 53, 77, 91
 phenotypes, mouflon, 67
 Haemopexin, rabbit, 353
 Homeobox, 2 gene, probe, cattle, polymorphism, 445
 Hormone:
 follicle stimulating, 237
 growth, 291
 Horse:
 alloantigens, red cell, 361
 MET locus, 307
 transferrin, 187, 436
 Human:
 apolipoprotein, probe, 444
 chromosome 8 loci, 117
 Hybrid, cell, sheep, 165
 Hybridization:
 genomic, 465
 bovine and ovine DNA probe, 237
 Hydroxylase, location, pig, 311
 Immunoblotting, bovine MHC, 147
 Immunoprecipitation, 399
 Inhibitor, protease, 295
 Isoelectric focusing:
 BoLA, 147, 407, 477
 cattle, MHC, 455
 chicken, MHC, 323
 Kinase, protein, human, 441
 Linkage:
 casein genes, sheep, 1, 21
 erythrocyte, alloantigens, chicken, 449
 globin genes, goat, 53
 QTL, 259
 rabbit, 353
 Lymphocyte:
 cattle, antigens, 381, 399, 407
 chicken, antigens, 279
 culture, BoLA, 31
 Mannose, phosphate isomerase, polymorphism, 87
 Mapping, gene, 105, 117, 165, 237
 Markers, genetic:
 eel, lens protein, 45
 farm animals, 299
 MRT locus, horse, cattle, 307
 MHC:
 bovine, 31, 123, 147, 199, 343, 381, 407, 455, 465, 477
 chicken, 279, 323
 ovine, 211
 Microsatellite, probes, fingerprints, farm animals, 299
 Minisatellite, probes:
 DNA viruses, 177
 fingerprints, farm animals, 299
 Mortality, embryonic, anti-leucocyte antibodies, 245
 Mouflon, Hb phenotypes, 67
 Mouse:
 homeobox 2 gene, probe, polymorphism, cattle, 445
 monoclonal antibodies, 155
 Nucleotide, sequence, bovine MHC, 343
 Oestrogen receptor, locus, pig, 448
 Oligonucleotide, probes, cattle, 137
 Phosphoglucose dehydrogenase:
 pig, wild, 357
 rabbit, 353
 Pig:
 ADA, new alleles, 173
 blood group, 183
 growth hormone polymorphism, 192, 291
 hydroxylase gene, 311
 oestrogen receptor locus, 448
 platelet-derived growth factor, 446
 protease inhibitor, 295
 TCP1 locus polymorphism, 194
 urokinase, locus, 447
 wild, PGD variants, 357
 Placenta, MHC, cattle, 455
 Platelet-derived, growth factor, pig, 446
 Polymerase:
 casein polymorphism, 11
 chain reaction, 199, 333
 Poly-ubiquitin, RFLP, 438
 Protein, lens, eel, genetic markers, 45
 Rabbit, linkage studies, 353
 Rat, FABP probe, 443
 Recombination, sperm typing, 105
 RFLP:
 casein, cattle, 11; sheep, 1, 21
 follistatin, sheep, 437
 gamma-interferon, 439
 goat, 53
 glucagon, 440
 MHC, cattle, 123, 465, 477
 pig, 291, 446, 447
 poly-ubiquitin, 438
 T-cell receptor, bovine, 497
 transferrin, horse, 436
 Sequence:
 analysis, bovine DRB alleles, 199

- cDNA, bovine, 381
- Serology:
 - A blood group, dog, 227
 - class I, 147, 407, 417
- Serum, protein antigen, pig, 295
- Sheep:
 - casein genes linkage, 1, 21
 - dinucleotide repeat polymorphism, 191, 369
 - DNA fingerprinting, 177, 285
 - follicle stimulating hormone, 237
 - folistatin, 437
 - gamma interferon, 439
 - gene mapping, 165
 - glucagon, 440
 - MHC, 211
 - mouflon, Hb phenotypes, 67
 - neurotensin polymorphism, 197
 - nucleotide phosphohydrolase polymorphism, 196
- pituitary glycoprotein polymorphism, 198
- poly-ubiquitin, 438
- Taq* I polymorphism, 195
- SLA, pig, 311
- Sperm, typing, genetic mapping, 105
- Synten, mapping, 117, 165
- T-cell, receptor gene, 497
- Thyrotropin, polymorphism, bovine, 442
- Transferrin:
 - inheritance, horse, 187
 - polymorphism, goat, 91
- Urokinase, RFLP, pig, 447
- Viruses, DNA, minisatellite probes, 177